

18217 & 30073: Drawdown from current location = 4.38 ft
Drawdown from proposed location = 7.73ft
Net drawdown = **3.3 ft**

Domestic 1: Drawdown from current location = 3.81 ft
Drawdown from proposed location = 7.26 ft
Net drawdown = **3.5 ft**

Domestic 2: Drawdown from current location = 3.95 ft
Drawdown from proposed location = 7.37 ft
Net drawdown = **3.4 ft**

Domestic 3: Drawdown from current location = 4.03 ft
Drawdown from proposed location = 7.39 ft
Net drawdown = **3.4 ft**

Domestic 4: Drawdown from current location = 4.05 ft
Drawdown from proposed location = 7.32 ft
Net drawdown = **3.3 ft**

Domestic 5: Drawdown from current location = 3.62 ft
Drawdown from proposed location = 6.87 ft
Net drawdown = **3.3 ft**

Domestic 6: Drawdown from current location = 2.88 ft
Drawdown from proposed location = 5.86 ft
Net drawdown = **3.0 ft**

Domestic 7: Drawdown from current location = 3.25 ft
Drawdown from proposed location = 6.44 ft
Net drawdown = **3.2 ft**

Domestic 8: Drawdown from current location = 3.04 ft
Drawdown from proposed location = 6.07 ft
Net drawdown = **3.0 ft**

Domestic 9: Drawdown from current location = 3.62 ft
Drawdown from proposed location = 7.05 ft
Net drawdown = **3.4 ft**

Domestic 10: Drawdown from current location = 3.99 ft
Drawdown from proposed location = 7.21 ft
Net drawdown = **3.2 ft**

Domestic 11: Drawdown from current location = 3.10 ft
Drawdown from proposed location = 6.06 ft
Net drawdown = **3.0 ft**

Domestic 12: Drawdown from current location = 3.23 ft
Drawdown from proposed location = 6.53 ft
Net drawdown = **3.3 ft**

Domestic 13: Drawdown from current location = 7.50 ft
Drawdown from proposed location = 11.14 ft
Net drawdown = **3.6 ft**

Domestic 14: Drawdown from current location = 6.72 ft
Drawdown from proposed location = 10.32 ft
Net drawdown = **3.6 ft**

Domestic 15: Drawdown from current location = 4.57 ft
Drawdown from proposed location = 7.93 ft
Net drawdown = **3.4 ft**

Domestic 16: Drawdown from current location = 8.47 ft
Drawdown from proposed location = 12.06 ft
Net drawdown = **3.6 ft**

Domestic 17: Drawdown from current location = 4.03 ft
Drawdown from proposed location = 7.50 ft
Net drawdown = **3.5 ft**

Domestic 18: Drawdown from current location = 3.89 ft
Drawdown from proposed location = 7.06 ft
Net drawdown = 3.2 ft

Net drawdown exceeds the drawdown allowance for all wells within 1 mile of the proposed locations. Critical well analysis is necessary on those wells.

Critical Well Evaluation:

4743 & 19874:

Water Column = 52 ft

Remaining saturated thickness on an irrigation well is less than 60 ft, so this well is critical.

18217 & 30073:

Water Column = 49 ft

Remaining saturated thickness on an irrigation well is less than 50 ft, so this well is critical.

Domestic 1:

Water Column = 52 ft

DP = 3.5 ft (Net drawdown from the proposal indicated above)

DE = 17.6 ft (Water level decline from 2023 through 2048 based upon GMD3 model)

DT = 21.1 ft

Economic Drawdown Constraint (EDC) = $0.4 * 52 \text{ ft} = 20.8 \text{ ft}$

Physical Drawdown Constraint (PDC) = $52 \text{ ft} - 20 \text{ ft} = 32.0 \text{ ft}$

Total drawdown of 21.1 ft is greater than the EDC, so this well is critical.

Domestic 2:

Water Column = 52 ft

DP = 3.4 ft (Net drawdown from the proposal indicated above)

DE = 17.6 ft (Water level decline from 2023 through 2048 based upon GMD3 model)

DT = 21.0 ft

Economic Drawdown Constraint (EDC) = $0.4 * 52 \text{ ft} = 20.8 \text{ ft}$

Physical Drawdown Constraint (PDC) = $52 \text{ ft} - 20 \text{ ft} = 32.0 \text{ ft}$

Total drawdown of 21.0 ft is greater than the EDC, so this well is critical.

Domestic 3:

Water Column = 52 ft

DP = 3.4 ft (Net drawdown from the proposal indicated above)

DE = 17.6 ft (Water level decline from 2023 through 2048 based upon GMD3 model)

DT = 21.0 ft

Economic Drawdown Constraint (EDC) = $0.4 * 52 \text{ ft} = 20.8 \text{ ft}$

Physical Drawdown Constraint (PDC) = $52 \text{ ft} - 20 \text{ ft} = 32.0 \text{ ft}$

Total drawdown of 21.0 ft is greater than the EDC, so this well is **critical**.

Domestic 4:

Water Column = 52 ft

DP = 3.3 ft (Net drawdown from the proposal indicated above)

DE = 17.6 ft (Water level decline from 2023 through 2048 based upon GMD3 model)

DT = 20.9 ft

Economic Drawdown Constraint (EDC) = $0.4 * 52 \text{ ft} = 20.8 \text{ ft}$

Physical Drawdown Constraint (PDC) = $52 \text{ ft} - 20 \text{ ft} = 32.0 \text{ ft}$

Total drawdown of 20.9 ft is greater than the EDC, so this well is **critical**.

Domestic 5:

Water Column = 52 ft

DP = 3.3 ft (Net drawdown from the proposal indicated above)

DE = 17.6 ft (Water level decline from 2022 through 2047 based upon GMD3 model)

DT = 20.9 ft

Economic Drawdown Constraint (EDC) = $0.4 * 52 \text{ ft} = 20.8 \text{ ft}$

Physical Drawdown Constraint (PDC) = $52 \text{ ft} - 20 \text{ ft} = 32.0 \text{ ft}$

Total drawdown of 20.9 ft is greater than the EDC and PDC, so this well is **critical**.

Domestic 6:

Water Column = 52 ft

DP = 3.0 ft (Net drawdown from the proposal indicated above)

DE = 17.6 ft (Water level decline from 2023 through 2048 based upon GMD3 model)

DT = 20.6 ft

Economic Drawdown Constraint (EDC) = $0.4 * 52 \text{ ft} = 20.8 \text{ ft}$

Physical Drawdown Constraint (PDC) = $52 \text{ ft} - 20 \text{ ft} = 32.0 \text{ ft}$

Total drawdown of 20.6 ft is less than the EDC and PDC, so this well is **not critical**.

Domestic 7:

Water Column = 52 ft

DP = 3.2 ft (Net drawdown from the proposal indicated above)

DE = 17.6 ft (Water level decline from 2023 through 2048 based upon GMD3 model)

DT = 20.8 ft

Economic Drawdown Constraint (EDC) = $0.4 * 52 \text{ ft} = 20.8 \text{ ft}$

Physical Drawdown Constraint (PDC) = $52 \text{ ft} - 20 \text{ ft} = 32.0 \text{ ft}$

Total drawdown of 20.8 ft is less than or equal to the EDC and PDC, so this well is **not critical**.

Domestic 8:

Water Column = 52 ft

DP = 3.0 ft (Net drawdown from the proposal indicated above)

DE = 17.6 ft (Water level decline from 2023 through 2048 based upon GMD3 model)

DT = 20.6 ft

Economic Drawdown Constraint (EDC) = $0.4 * 52 \text{ ft} = 20.8 \text{ ft}$

Physical Drawdown Constraint (PDC) = $52 \text{ ft} - 20 \text{ ft} = 32.0 \text{ ft}$

Total drawdown of 20.6 ft is less than the EDC and PDC, so this well is **not critical**.

Domestic 9:

Water Column = 52 ft

DP = 3.4 ft (Net drawdown from the proposal indicated above)

DE = 17.6 ft (Water level decline from 2023 through 2048 based upon GMD3 model)

DT = 21.0 ft

Economic Drawdown Constraint (EDC) = $0.4 * 52 \text{ ft} = 20.8 \text{ ft}$

Physical Drawdown Constraint (PDC) = $52 \text{ ft} - 20 \text{ ft} = 32.0 \text{ ft}$

Total drawdown of 21.0 ft is greater than the EDC, so this well is **critical**.

Domestic 10:

Water Column = 52 ft

DP = 3.2 ft (Net drawdown from the proposal indicated above)

DE = 17.6 ft (Water level decline from 2023 through 2048 based upon GMD3 model)

DT = 20.8 ft

Economic Drawdown Constraint (EDC) = $0.4 * 52 \text{ ft} = 20.8 \text{ ft}$

Physical Drawdown Constraint (PDC) = $52 \text{ ft} - 20 \text{ ft} = 32.0 \text{ ft}$

Total drawdown of 20.8 ft is less than or equal to the EDC and PDC, so this well is **not critical**.

Domestic 11:

Water Column = 42 ft

DP = 3.0 ft (Net drawdown from the proposal indicated above)

DE = 18.0 ft (Water level decline from 2023 through 2048 based upon GMD3 model)

DT = 21.2 ft

Economic Drawdown Constraint (EDC) = $0.4 * 42 \text{ ft} = 16.8 \text{ ft}$

Physical Drawdown Constraint (PDC) = $42 \text{ ft} - 20 \text{ ft} = 22.0 \text{ ft}$

Total drawdown of 21.2 ft is greater than the EDC and PDC, so this well is **critical**.

Domestic 12:

Water Column = 70 ft

DP = 3.3 ft (Net drawdown from the proposal indicated above)

DE = 17.9 ft (Water level decline from 2023 through 2048 based upon GMD3 model)

DT = 21.2 ft

Economic Drawdown Constraint (EDC) = $0.4 * 70 \text{ ft} = 28.0 \text{ ft}$

Physical Drawdown Constraint (PDC) = $70 \text{ ft} - 20 \text{ ft} = 50.0 \text{ ft}$

Total drawdown of 21.2 ft is less than the EDC and PDC, so this well is **not critical**.

Domestic 13:

Water Column = 49 ft

DP = 3.6 ft (Net drawdown from the proposal indicated above)

DE = 19.0 ft (Water level decline from 2023 through 2048 based upon GMD3 model)

DT = 22.6 ft

Economic Drawdown Constraint (EDC) = $0.4 * 49 \text{ ft} = 19.6 \text{ ft}$

Physical Drawdown Constraint = $49 \text{ ft} - 20 \text{ ft} = 29.0 \text{ ft}$

Total drawdown of 22.6 ft is greater than the EDC, so this well is **critical**.

Domestic 14:

Water Column = 49 ft

DP = 3.6 ft (Net drawdown from the proposal indicated above)

DE = 19.0 ft (Water level decline from 2023 through 2048 based upon GMD3 model)

DT = 22.6 ft

Economic Drawdown Constraint (EDC) = $0.4 * 49 \text{ ft} = 19.6 \text{ ft}$

Physical Drawdown Constraint (PDC) = $49 \text{ ft} - 20 \text{ ft} = 29.0 \text{ ft}$

Total drawdown of 22.6 ft is greater than the EDC, so this well is **critical**.

Domestic 15:

Water Column = 49 ft

DP = 3.4 ft (Net drawdown from the proposal indicated above)

DE = 19.0 ft (Water level decline from 2023 through 2048 based upon GMD3 model)

DT = 22.4 ft

Economic Drawdown Constraint (EDC) = $0.4 * 49 \text{ ft} = 19.6 \text{ ft}$

Physical Drawdown Constraint (PDC) = $49 \text{ ft} - 20 \text{ ft} = 29.0 \text{ ft}$

Total drawdown of 22.4 ft is greater than the EDC, so this well is **critical**.

Domestic 16:

Water Column = 49 ft

DP = 3.6 ft (Net drawdown from the proposal indicated above)

DE = 19.0 ft (Water level decline from 2023 through 2048 based upon GMD3 model)

DT = 22.6 ft

Economic Drawdown Constraint (EDC) = $0.4 * 49 \text{ ft} = 19.6 \text{ ft}$

Physical Drawdown Constraint (PDC) = $49 \text{ ft} - 20 \text{ ft} = 29.0 \text{ ft}$

Total drawdown of 22.6 ft is greater than the EDC, so this well is **critical**.

Domestic 17:

Water Column = 49 ft

DP = 3.5 ft (Net drawdown from the proposal indicated above)

DE = 17.6 ft (Water level decline from 2023 through 2048 based upon GMD3 model)

DT = 21.1 ft

Economic Drawdown Constraint (EDC) = $0.4 * 49 \text{ ft} = 19.6 \text{ ft}$

Physical Drawdown Constraint (PDC) = $49 \text{ ft} - 20 \text{ ft} = 29.0 \text{ ft}$

Total drawdown of 21.1 ft is greater than the EDC, so this well is **critical**.

Domestic 18:

Water Column = 40 ft

DP = 3.2 ft (Net drawdown from the proposal indicated above)

DE = 18.3 ft (Water level decline from 2023 through 2048 based upon GMD3 model)

DT = 21.5 ft


Economic Drawdown Constraint (EDC) = $0.4 * 40 \text{ ft} = 16.0 \text{ ft}$

Physical Drawdown Constraint (PDC) = $40 \text{ ft} - 20 \text{ ft} = 20.0 \text{ ft}$

Total drawdown of 21.5 ft is greater than the EDC and PDC, so this well is **critical**.

Conclusion:

The proposed move is in a depleted aquifer area with about 50 ft of remaining saturated thickness. The analysis shows that net well-to-well effects are likely to be noticeable, due to the limited amount of remaining aquifer. It should be noted that the proposal is moving authority further than 2 miles, when rules allow for up to ½ mile. Concerned neighbors should contact GMD3 at (620) 275-7147 or the Division of Water Resources at (620) 276-2901.



WELL TEST ANALYSIS

Data Set: C:\Users\trevora\Documents\2023_moves\17329\17329 Current.aqt

Date: 09/28/23

Time: 13:43:42

PROJECT INFORMATION

Company: GMD 3

Project: 17329

Location: Ford County


WELL DATA

Pumping Wells

Observation Wells

Well Name	X (ft)	Y (ft)
17329	229370	327709
24536	231070	327841

Well Name	X (ft)	Y (ft)
□	229370	327709
□	231070	327841



WELL TEST ANALYSIS

Data Set: C:\Users\trevora\Documents\2023_moves\17329\17329 Proposed.aqt

Date: 09/28/23

Time: 13:43:35

PROJECT INFORMATION

Company: GMD 3

Project: 17329

Location: Ford County

WELL DATA

Pumping Wells

Well Name	X (ft)	Y (ft)
17329	229370	327709
24526	231070	327841

Observation Wells

Well Name	X (ft)	Y (ft)
□	229370	327709
□	231070	327841